JOURNAL OF SEDIMENTARY RESEARCH

INDEX

VOLUME 71
JANUARY 2001–NOVEMBER 2001

EDITORS
DAVID A. BUDD AND MARY J. KRAUS

EDITORIAL ASSISTANT
TINA BRACHLE

PUBLISHING ASSISTANT
MELISSA LESTER

PUBLISHED BY

SEPM

(Society for Sedimentary Geology)

1741 E. 71st St.

Tulsa, Oklahoma 74136-5108

JOURNAL OF SEDIMENTARY RESEARCH

INDEX

VOLUME 71
JANUARY 2001–NOVEMBER 2001

EDITORS
DAVID A. BUDD AND MARY J. KRAUS

EDITORIAL ASSISTANT
TINA BRACHLE

PUBLISHING ASSISTANT
MELISSA LESTER

PUBLISHED BY

SEPM

(Society for Sedimentary Geology)

1741 E. 71st St.

Tulsa, Oklahoma 74136-5108

AUTHOR INDEX TO VOLUME 71

ABDEL-WAHAB, A. Origin of giant calcite-cemented concretions, Temple Member, Qasr El Sagha Formation (Eocene), Faiyum depression, Egypt (1)
ALLER, R.C. see SOMMERFIELD, C.K. (3) 335
AMOS, C.L. see DROPPO, I.G. (5) 717
ANDERSON, D.S. Large-scale cycle architecture in continental strata, Hornelen basin, Norway (2) 255
ANDREWS, J.E. Depositional facies and aqueous–solid geochemistry of travertine-depositing hot springs (Angel Terrace, Mammoth Hot Springs, Yellowstone National Park, U.S.A.)—Discussion (3) 496
ARUSH, M. see MIALL, A.D. (4) 537
ASLAN, A. see BLUM, M.D. (4) 581

BACHTEL, S.L. see DOROBEK, S.L. (6) 1003
BACK, S. Depositional environment and sequence stratigraphy of Miocene deltaic cycles exposed along the Jerudong anticline, Brunei Darussalam (6) 913
BAIRD, G. see SCHIEBER, J. (1) 155
BARNES, P.W. see KEMPEMA, E.W. (3) 346
BENITO, M.I. Discrimination of multiple episodes of meteoric diagenesis in a Kimmeridgian reefal complex, north Iberian Range, Spain (3) 380
BERENDSEN, H.J. see STOUTHAMER, E. (4) 589
BJORLYKKE, K. see CHUHAN, F.A. (1) 15
BLAIR, T.C. Outburst-flood sedimentation on the proglacial Tuttle Canyon alluvial fan, Owens Valley, California (5) 657
BLIKRA, L.H. see LØNNE, I. (6) 922
BLUM, M.D. Middle Holocene sea-level rise and highstand at +2m, central Texas Coast (4) 581
BOCK, B. see MCLENNAN, S.M. (2) 305
BOLES, J.R. see FAYEK, M. (3) 444
BONE, Y. see JAMES, N.P. (4) 549
BOTTJER, D.J. see PARRISH, J.T. (2) 272
BOUT-ROUMAZEILLES, V. see TRENTESAUX, A. (5) 858
BRAUNSTEIN, D. Relationship between spring and geyser activity and the deposition and morphology of high temperature (>73 C) siliceous sinter, Yellowstone National Park, Wyoming (5) 747
BRAVO, J.C. see CASTANARES, L.M. (2) 318
BRENNER, R.L. see UFNAR, D.F. (6) 1017
BRIDGE, J.S. see KARSSENBERG, D. (6) 868
BRIDGE, J.S. see LECLAIR, S.F. (5) 713
BROWNE, P.L. see CAMPBELL, K. (5) 727
BUCHARDT, B. Ikaite tufa towers in Ikka Fjord, southwest Greenland: their formation by mixing of seawater and alkaline spring water (1) 176
BURSIK, M. see TISCHER, M. (3) 355
BUSTILLO, M.A. Cherts with moganite in continental Mg-clay deposits: an example of ''false'' Magadai-type cherts, Madrid basin, Spain (3) 436

CAMPBELL, K. Sedimentary facies and mineralogy of the Late Pleistocene Umukuri silica sinter, Tarpo Volcanic Zone, New Zealand (5) 727
CASTANARES, L.M. The submarine volcanic system of the Errigoiti Formation (Albian–Santonian of the Basque–Cantabrian basin, northern Spain): stratigraphic framework, facies, and sequences (2) 318
CAUDLE, G.C. see LUMSDEN, D.N. (3) 400
CAWLEY, J.C. An inexpensive, diver-assisted coring device developed to sample Mountain Lake, Virginia (5) 863
CHAKRABORTY, C. see CHAKRABORTY, T. (1) 107
CHAKRABORTY, T. Eolian–aqueous interactions in the development of a Proterozoic sand sheet: Shikaoda Formation, Hosangabad, India (1) 107
CHEN, W. Aerodynamic and geometric diameters of airborne particles (3) 365
CHENG, X. see ZHANG, D.D. (1) 205
CHOI, K.S. Late Pleistocene tidal rythmites in the Kyunggi Bay, west coast of Korea: a comparison with simulated rythmites based on modern tides and implications for intertidal positioning (5) 680
CHRISTY, A.G. see LARGE, D.J. (1) 61
CHU, Y.S. see LEE, H.J. (1) 144
CHUHAN, F.A. Closed-system burial diagenesis in reservoir sandstones: examples from the Garn Formation at Haltenbanken area, offshore mid-Norway
CLARK, J.D. see PICKERING, K.T. (5) 692
CLEARY, W.J. see THIELER, E.R. (6) 958
COATH, C.D. see FAYEK, M. (3) 444
COLLINS, E.S. see BLUM, M.D. (4) 581
COLLINS, L.B. see JAMES, N.P. (4) 549
COMPSTON, W. see MCLENNAN, S.M. (2) 305
COMPTON, J. Pleistocene dolomite from the Nambian Shelf: high $^{87}Sr/^{86}Sr$ and $\delta^{18}O$ values indicate an evaporative, mixed-water origin (5) 800
COOKE, S. see HAYTON, S. (3) 507
COOPER, J. see MALVAREZ, G.C. (5) 764
CORREGGIARI, A. Styles of failure in Late Holocene highstand prodelta wedges on the Adriatic Shelf (2) 218
CRONIN, B.T. see HURST, A. (1) 136
CROSS, T.A. see ANDERSON, D.S. (2) 255

DAVAUD, E. Recent freshwater ooids and oncoids from western Lake Geneva (Switzerland): indications of a common organically mediated origin (3)
DICKSON, J. Diagenesis and crystal caskets: echinoderm Mg calcite transformation, Dry Canyon, New Mexico, U.S.A. (5) 764
DICKSON, J. Hypersaline burial diagenesis delineated by component isotopic analysis, Late Paleozoic limestones, West Texas (3) 372
DIX, G.R. Origin of Sr-rich magnesian calcite mud in a Holocene pond basin (Lee Stocking Island, Bahamas) (1) 167
DODD, J. see LARGE, D.J. (1) 61
DOROBEK, S.L. Supply of allochthonous sediment and its effects on development of carbonate mud mounds, Mississippian Lake Valley Formation, Sacramento Mountains, south-central New Mexico, U.S.A. (6) 1003
DRIESE, S.G. Lithologic and pedogenic influences on porosity distribution and groundwater flow in fractured sedimentary saprolite: a new application of environmental sedimentology (5) 843
DROPPO, I.G. The structure, stability and transformation of contaminated lacustrine surface fine-grain laminae (5) 717
DROSER, M.L. see PARRISH, J.T. (2) 272
DRUMMOND, C.N. Taphonomic reworking and stratal organization of tempestite deposition: Ordovician Kope Formation, northern Kentucky, U.S.A.
DUNKL, I. Combination of single-grain fission-track chronology and morphological analysis of detrital zircon crystals in provenance studies—sources of the Macigno Formation (Apennines, Italy) (4) 516

FAYEK, M. *In situ* stable isotopic evidence for protracted and complex carbonate cementation in a petroleum reservoir, North Coles Levee, San Joaquin basin, California, U.S.A. (3) 444
FIELD, M.E. see SPINELLI, G.A. (2) 237
FORTEY, N.J. see LARGE, D.J. (1) 61
FOUKE, B.W. An integrated cathodoluminescence video-capture microsampling system (3) 509
FOUKE, B.W. Depositional facies and aqueous–solid geochemistry of travertine-depositing hot springs (Angel Terrace, Mammoth Hot Springs, Yellowstone National Park, U.S.A.)—Reply (3) 497
FRANCUS, P. Quantification of bioturbation in hemipelagic sediments via thin-section image analysis (3) 501
FRYREAR, D.W. see CHEN, W. (3) 365

GAO, S. see WANG, Y.P. (1) 118
GARBE-SCHONEBERG, C. see SHAO, L. (1) 37
GERDES, G. see NOFFKE, N. (5) 649

JOURNAL OF SEDIMENTARY RESEARCH, VOL. 71, NO. 6, NOVEMBER, 2001, P. 1057–1059

Copyright © 2001, SEPM (Society for Sedimentary Geology)

1527-1404/01/071-1057/$03.00

GHOSH, P. Estimation of channel sinuosity from paleocurrent data: a method using fractal geometry—Reply (6)
GIMENO, D. see CASTANARES, L.M. (2) 318
GIRALT, S. Microbial biscuits of vaterite in Lake Issyk-Kul (Republic of Kyrgyzstan) (3) 430
GIRARDCLOS, S. see DAVAUD, E. (3) 423
GONZALEZ, L.A. see UFNAR, D.F. (6) 1017
GRIGSBY, J.D. Origin and growth mechanism of authigenic chlorite in sandstones of the Lower Vicksburg Formation, South Texas (1) 27
GROVE, M. see FAYEK, M. (3) 444

HARRIS, C. see COMPTON, J. (5) 800
HARRISON, T.M. see FAYEK, M. (3) 444
HAYTON, S. Effect of mica on particle-size analysis using the laser diffraction technique (3) 507
HEMMING, S.R. see MCLENNAN, S.M. (2) 305
HERDIANITA, N.R. see CAMPBELL, K. (5) 727
HESSELBO, S.P. Glaucony in ocean-margin sequence stratigraphy (Oligocene–Pliocene, offshore New Jersey, USA; ODP leg 174A) (4) 599
HINNOV, L.A. see MEYERS, S.R. (4) 628
HODGSON, D.M. see PICKERING, K.T. (5) 692
HUGGETT, J.M. see HESSELBO, S.P. (4) 599
HUMPHREY, J.D. see PICHLER, T. (3) 394, Errata (6) 1067
HURST, A. The origin of consolidation laminae and dish structures in some deep-water sandstones (1) 136

ISRAELSON, C. see BUCHARDT, B. (1) 176

JACKSON, D. see MALVAREZ, G.C. (5) 705
JAMES, N.P. Surficial sediments of the Great Australian Bight: facies dynamics and oceanography on a vast cool-water carbonate shelf (4) 549
JEONG, G.Y. The origin of clay minerals in soils of King George Island, South Shetland Islands, West Antarctica and its implication to the clay mineral compositions of marine sediments (5) 833
JONES, B. "Geyser eggs" from Te Whakarewarewatangaotepetauaawahiao, North Island, New Zealand (1) 190
JONES, B. Powder X-ray diffraction analysis of homogeneous and heterogeneous sedimentary dolostones (5) 790
JONES, B. see MACKINNON, L. (4) 568
JULIA, R. see GIRALT, S. (3) 430

KAHLE, C.F. Biosedimentology of a Silurian thrombolite reef with meter-scale growth framework cavities (3) 410
KARSSENBERG, D. Conditioning a process-based model of sedimentary architecture to well data (6) 868
KAYANNE, H. see YAMANO, H. (2) 295
KEMPEMA, E.W. Anchor-ice formation and ice rafting in southwestern Lake Michigan, U.S.A. (3) 346
KESSLER, J.P. Equatorial aridity in western Pangea: Lower Permian loessite and dolomitic paleosols in northeastern New Mexico (5) 817
KIESSLING, W. see SCASSO, R.A. (1) 88
KIM, B.O. see CHOI, K.S. (5) 680
KLENKE, T. see NOFFKE, N. (5) 649
KLERKX, J. see GIRALT, S. (3) 430
KOMINZ, M.A. see PEKAR, S.F. (4) 608
KRUMBEIN, W.E. see NOFFKE, N. (5) 649
KUHLEMANN, J. see DUNKL, I. (4) 516
KYSER, T.K. see JAMES, N.P. (4) 549

LAMBIASE, J.L. see BACK, S. (6) 913
LANGONE, L. see CORREGGIARI, A. (2) 218
LARGE, D.J. Petrographic observations of iron, copper and zinc sulfides in freshwater canal sediment (1) 61
LAURISTEN, T. see LØNNE, I. (6) 922
LE ROUX, J. Estimation of channel sinuosity from paleocurrent data: a method using fractal geometry—Discussion (6) 1029
LECLAIR, S.F. Quantative interpretation of sedimentary structures formed by river dunes (5) 713
LEE, H.J. Origin of inner-shelf mud deposit in the southeastern Yellow Sea: Huksan Mud Belt (1) 144
LIU, Z. Evolution and mass accumulation in the Cenozoic Hoh Xil basin, northern Tibet (6) 971
LOHMANN, K. see BENITO, M.I. (3) 380
LØNNE, I. Sedimentary architecture and dynamic stratigraphy of a marine ice-contact system (6) 922
LOWE, D.R. see BRAUNSTEIN, D. (5) 747
LOWREY, C.J. see CHUHAN, F.A. (1) 15
LUDVIGSON, G.A. see UFNAR, D.F. (6) 1017
LUMSDEN, D.N. Origin of massive dolostone: the Upper Knox Model (3) 400
LUTH, R.W. see JONES, B. (5) 790

MACKINNON, L. Sedimentological evolution of North Sound, Grand Cayman—a freshwater to marine carbonate succession driven by Holocene sea level rise (4) 568
MACNEIL, A.J. see JONES, B. (5) 790
MAHIEUX, G. see PROUST, J. (6) 944
MAKOWITZ, A. Crystal growth mechanisms of quartz overgrowths in a Cambrian quartz arenite (5) 809
MALVAREZ, G.C. Relationships between wave-induced currents and sediment grain size on a sandy tidal flat (5) 705
MARECHAL, B. see THIRY, M. (3) 473
MARFIL, R. see ROSSI, C. (3) 459
MAS, R. see BENITO, M.I. (3) 380
MCBRIDE, E.F. Origin of highly elongate, calcite-cemented concretions in some Italian coastal beach and dune sands (1) 82
MCBRIDE, E.F. see ABDEL-WAHAB, A. (1) 70
MCDANIEL, D.K. see MCLENNAN, S.M. (2) 305
MCKAY, L.D. see DRIESE, S.G. (5) 843
MCKEEGAN, K.D. see FAYEK, M. (3) 444
MCKINLEY, J.M. Contact diagenesis: the effect of an intrusion on reservoir quality in the Triassic Sherwood Sandstone Group, northern Ireland (3)
MCLENNAN, S.M. Detrital zircon geochronology of Taconian and Acadian foreland sedimentary rocks in New England (2) 305
MELLERE, D. see PLINK-BJORKLUND, P. (6) 895
MEYERS, S.R. Integrated quantitative stratigraphy of Cenomanian–Turonian Bridge Creek Limestone Member using evolutive harmonic analysis and stratigraphic modeling (4) 628
MIALL, A.D. The Castlegate Sandstone of the Book Cliffs, Utah: sequence stratigraphy, paleogeography, and tectonic controls (4) 537
MILODOWSKI, A.E. see LARGE, D.J. (1) 61
MISNER, T.J. see BLUM, M.D. (4) 581
MONTANEZ, I.P. see DICKSON, J. (3) 372
MORLEY, C.K. see BACK, S. (6) 913
MORTON, R.A. see BLUM, M.D. (4) 581
MUTO, T. Shoreline autoretreat substantiated in flume experiments (2) 246

NELSON, C.S. see HAYTON, S. (3) 507
NEMEC, W. see LØNNE, I. (6) 922
NEWTON, R. see RAISWELL, R. (2) 286
NITTROUER, C.A. see SOMMERFIELD, C.K. (3) 335
NOFFKE, N. Microbially induced sedimentary structures—a new category within the classification of primary depositional phenomena (5) 649

OTVOS, E. Assumed Holocene highstands, Gulf of Mexico: basic issues of sedimentary and landform criteria—Discussion (4) 645

PAREA, G.C. see MCBRIDE, E.F. (1) 82
PARK, Y.A. see CHOI, K.S. (5) 680
PARKER, B.C. see CAWLEY, J.C. (5) 863
PARRISH, J.T. A Triassic upwelling zone: The Shublik Formation, Arctic Alaska, U.S.A. (2) 272

PEKAR, S.F. Two-dimensional paleoslope modeling: a new method for estimating water depths of benthic foraminiferal biofacies and paleo shelf margins
PENFIELD, C.P. see DRIESE, S.G. (5) 843
PERMANYER, A. see ROSSI, C. (3) 459
PICHLER, T. Formation of dolomite in recent island-arc sediments due to gas–seawater–sediment interaction (3) 394, Errata (6) 1067
PICKERING, K.T. A new type of bedform produced by back-filling processes in a submarine channel, late Miocene, Tabernas–Sorbas basin, SE Spain (5)
PILKEY, JR., O.H. see THIELER, E.R. (6) 958
PITMAN, E.B. see TISCHER, M. (3) 355
PLATZMAN, E. see PICKERING, K.T. (5) 692
PLINK-BJORKLUND, P. Turbidite variability and architecture of sand-prone, deep-water slopes: Eocene clinoforms in the Central Basin, Spitsbergen (6) 895
PROTHERO, D.R. Magnetostratigraphic tests of sequence stratigraphic correlations from the southern California Paleogene (4) 526
PROUST, J. Field and seismic images of sharp-based shoreface deposits: implications for sequence stratigraphic analysis (6) 944
PULHAM, A.J. see WARREN, E.A. (1) 2

RAISWELL, R. An indicator of water-column anoxia: resolution of biofacies variations in the Kimmeridge Clay (Upper Jurassic, U.K.) (2) 286
RAJAMANI, V. see SINGH, P. (1) 50
RAKOVAN, J. see FOUKE, B.W. (3) 509
RAMSEYER, K. see ROSSI, C. (3) 459
READ, J.F. see SMITH, JR., L.B. (6) 985
RECOURT, P. see TRENTESAUX, A. (5) 858
REIMNITZ, E. see KEMPEMA, E.W. (3) 346
RENAUT, R.W. see JONES, B. (1) 190
RICKETTS, B.D. see HAYTON, S. (3) 507
RIDING, R. see ANDREWS, J.E. (3) 496
RIJSDIJK, K.F. Density-driven deformation structures in glacigenic consolidated diamicts: examples from Traeth y Mwnt, Cardiganshire, Wales, U.K.
ROBLES, S. see CASTANARES, L.M. (2) 318
RODGERS, K.A. see CAMPBELL, K. (5) 727
ROSEN, M.R. see JONES, B. (1) 190
ROSSI, C. Facies-related diagenesis and multiphase siderite cementation and dissolution in the reservoir sandstones of the Khatatba Formation, Egypt's western desert (3) 459
ROVERI, M. see CORREGGIARI, A. (2) 218
RUFFELL, A.H. see MCKINLEY, J.M. (3) 484

SAGEMAN, B.B. see MEYERS, S.R. (4) 628
SALLER, A.H. see DICKSON, J. (3) 372
SANNAZZARO, K. see CAMPBELL, K. (5) 727
SCASSO, R.A. Diagenesis of Upper Jurassic concretions from the Antarctic peninsula (1) 88
SCASSO, R.A. High-frequency explosive volcanic eruptions in a Late Jurassic volcanic arc: the Ameghino Formation, Antarctic peninsula (1) 101
SCHIEBER, J. On the origin and significance of pyrite spheres in Devonian black shales of North America (1) 155
SCHWAB, W.C. see THIELER, E.R. (6) 958
SCOTT, D.B. see BLUM, M.D. (4) 581
SEAMAN, P. see BUCHARDT, B. (1) 176
SHAO, L. Sandstone petrology and geochemistry of the Turpan basin (NW China): implications for the tectonic evolution of a continental basin (1) 37
SHEETS, H. see DRUMMOND, C.N. (4) 621
SIBLEY, D.F. see MAKOWITZ, A. (5) 809
SIMMONS, M.D. see BACK, S. (6) 913
SINGH, P. Geochemistry of the floodplain sediments of the Kaveri River, southern India (1) 50
SMITH, L.B., JR., Discrimination of local and global effects on Upper Mississippian stratigraphy, Illinois basin, U.S.A. (6) 985
SOMMERFIELD, C.K. Sedimentary carbon, sulfur, and iron relationships in modern and ancient diagenetic environments of the Eel River Basin (U.S.A.)
SOREGHAN, G. see KESSLER, J.P. (5) 817
SPINELLI, G.A. Evolution of continental slope gullies on the northern California margin (2) 237
STATTEGGER, K. see SHAO, L. (1) 37
STEEL, R.J. see PLINK-BJORKLUND, P. (6) 895
STEPHENS, C. see PICKERING, K.T. (5) 692
STOCKMANN, G. see BUCHARDT, B. (1) 176
STOUTHAMER, E. Avulsion frequency, avulsion duration, and interavulsion period of Holocene channel belts in the Rhine–Meuse delta, The Netherlands
SUTTNER, L.J. see ZALEHA, M.J. (6) 880

TESSIER, B. see PROUST, J. (6) 944
THIELER, E.R. Modern sedimentation on the shoreface and inner continental shelf at Wrightsville Beach, North Carolina (6) 958
THIRY, M. Development of tightly cemented sandstone lenses in uncemented sand: example of the Fontainbleu Sand (Oligocene) in the Paris basin (3)
THOMPSON, S. see COMPTON, J. (5) 800
TISCHER, M. Kinematics of sand avalanches using particle-image velocimetry (3) 355
TORNQVIST, T.E. see KARSSENBERG, D. (6) 868
TRENTESAUX, A. Carbonate grain-size distribution in hemipelagic sediment from a laser particle sizer (5) 858
TRIBOVILLARD, N. see TRENTESAUX, A. (5) 858
TRINCARDI, F. see CORREGGIARI, A. (2) 218

UFNAR, D.F. Stratigraphic implications of meteoric sphaerosiderite $\delta^{18}O$ compositions in paleosols of the Cretaceous (Albian) Boulder Creek Formation, NE British Columbia foothills, Canada (6) 1017

WACKER, H.J. see KESSLER, J.P. (5) 817
WANG, C. see LIU, Z. (6) 971
WANG, Y.P. Modification to the Hardisty equation, regarding the relationship between sediment transport rate and particle size (1) 118
WARREN, E.A. Anomalous porosity and permeability preservation in deeply buried Tertiary and Mesozoic sandstones in the Cusiana Field, Llanos Foothills, Columbia (1) 2
WAY, J.N. see ZALEHA, M.J. (6) 880
WEDD, M.W. see HAYTON, S. (3) 507
WIGNALL, P.B. see RAISWELL, R. (2) 286
WITZKE, B.J. see UFNAR, D.F. (6) 1017
WORDEN, R.H. see McKINLEY, J.M. (3) 484

YAMANO, H. Anatomy of a modern coral reef flat: a recorder of storms and uplift in the late Holocene (2) 295
YANG, W. Estimation of duration of subaerial exposure in shallow-marine limestones—an isotopic approach (5) 778
YI, H. see LIU, Z. (6) 971
YONEKURA, N. see YAMANO, H. (2) 295
YOON, H.I. see JEONG, G.Y. (5) 833

ZALEHA, M.J. Effects of syndepositional faulting and folding on early Cretaceous rivers and alluvial architecture (Lakota and Cloverly formations, Wyoming, U.S.A.) (6) 880
ZHANG, D.D. Physical mechanisms of river waterfall tufa (travertine) formation (1) 205
ZHANG, Y. see ZHANG, D.D. (1) 205
ZHU, A. see ZHANG, D.D. (1) 205

SUBJECT INDEX TO VOLUME 71

Acadian ..... (2) 305
accumulation rate ..... (6) LIU
Adriatic Sea ..... (2) 218
aerodynamic diameter ..... (3) 365
airborne particle ..... (3) 365
Alaska ..... (2) 272
Albian ..... (6) 1017
allostratigraphy ..... (6) 922
alluvial ..... (6) 880
alluvial fans ..... (5) 657
alluvial stratigraphy ..... (6) 868
annular flume ..... (5) 717
anoxic ..... (1) 101
anoxicity indicator ..... (2) 286
Antarctic peninsula ..... (1) 101
Antarctica ..... (1) 88, (5) 833
Apennines ..... (4) 516
architecture ..... (6) 895
ash layers ..... (1) 101
Atlantic margin ..... (4) 599
autobreak ..... (2) 246
autoretreat ..... (2) 246
avalanche ..... (3) 355
avulsion ..... (4) 589
avulsion duration ..... (4) 589
avulsion frequency ..... (4) 589
back-stepping ..... (5) 692
bacterial precipitation ..... (3) 430

base-level changes ..... (5) 692
basin evolution ..... (6) 971
beach nourishment ..... (6) 958
bedforms ..... (6) 958
bed-load transport ..... (1) 118
biofacies ..... (2) 286
biofilm ..... (1) 61
biogeochemistry ..... (4) 628
biomineralization ..... (3) 423
biostratigraphy ..... (4) 526
bioturbation ..... (3) 501, (3) 335
black shale ..... (1) 155
Bravo dome ..... (5) 817
bryozoan ..... (4) 549
burial ..... (3) 400

Ca/Mg ratios ..... (5) 790
$CaCO_3$ ..... (1) 205
calcite ..... (5) 764
calcite cement ..... (1) 70
calibration ..... (1) 118
California ..... (5) 657
canal ..... (1) 61
carbon isotope ..... (5) 778
carbonate ..... (3) 380, (5) 858
carbonate cementation ..... (3) 444
carbonate geochemistry ..... (3) 509
carbonate mud mounds ..... (6) 1003
carbonate sediments ..... (4) 549, (4) 568
Castlegate Sandstone ..... (4) 537
cathodoluminescence ..... (3) 380, (3) 509
Cayman Islands ..... (4) 568
Cenozoic ..... (4) 599, (6) 971
chert ..... (3) 436
chlorite ..... (1) 27
chronostratigraphy ..... (4) 526
classification ..... (5) 649
clay minerals ..... (5) 833
clinoform ..... (6) 913
Cloverly ..... (6) 880
CO_2 ..... (1) 205
concretions ..... (1) 70, (1) 88
consolidation laminae ..... (1) 136
continental shelf sedimentation ..... (3) 335
cool-water ..... (4) 549
copper ..... (1) 61
coral reef flat ..... (2) 295
Cretaceous ..... (2) 318, (6) 880
cross-set ..... (5) 713
crystal growth ..... (5) 809
crystal size distribution ..... (5) 809
CT-scans ..... (1) 136
cyanobacteria ..... (5) 649
cyclic carbonates ..... (3) 372

delta ..... (6) 913
density-driven deformation ..... (1) 122
depositional origin ..... (1) 144
Devonian ..... (1) 155
diagenesis ..... (1) 27, (1) 88, (3) 372, (3) 484
diamicts ..... (1) 122
digital imaging ..... (3) 509
dishes ..... (1) 136
diver-assisted percussion coring device ... (5) 863
dolomite .... (3) 394, (3) 400, (5) 800, (6) 1067
dolostones ..... (5) 790
Dover Strait ..... (6) 944
dunes ..... (5) 713
duration ..... (5) 778

echinoderm ..... (5) 764
Eel River Basin ..... (3) 335
Egypt ..... (3) 459
eolian sand sheet ..... (1) 107
erosion ..... (5) 717
eustasy ..... (6) 985
experiment ..... (2) 246
explosive volcanism ..... (1) 101

failures ..... (2) 218
fault ..... (6) 880
fission tracks ..... (4) 516
flocculation ..... (5) 717
floodplains ..... (1) 50
flow-tills ..... (1) 122
fluvial ..... (4) 537, (6) 880
foraminifera ..... (2) 295
framboid ..... (1) 61

Garn Formation ..... (1) 15
geochemistry .... (1) 37, (1) 50, (1) 88, (1) 167, (3) 394, (3) 496, (3) 497, (6) 1067
geochronology ..... (2) 305
geyser ..... (1) 190, (5) 747
geyser eggs ..... (1) 190
giant size ..... (1) 70
glacial outburst floods ..... (5) 657
glacier dynamics ..... (6) 922
glaucony ..... (4) 599
grain-size distribution ..... (5) 858
granular flow ..... (3) 355
gravitational collapse ..... (1) 136
Great Australian Bight ..... (4) 549
Great Lakes ..... (3) 346
Greenland ..... (1) 176
groundwater ..... (3) 473, (5) 800
groundwater flow ..... (1) 82
growth framework cavities ..... (3) 410
Gulf Coast ..... (1) 27
Gulf of Mexico ..... (4) 645
gullies ..... (2) 237

harmonic analysis ..... (4) 628
hemipelagic sedimentation ..... (4) 628
hemipelagic sediments ..... (3) 501
heterozoan ..... (4) 549
highstand wedges ..... (2) 218
Holocene ..... (1) 144, (4) 568, (4) 581, (4) 645
horizontal concretion ..... (1) 82
Hornelen basin ..... (2) 255
hot spring deposit ..... (5) 727
hot springs ..... (3) 496, (3) 497, (5) 747
Huksan Mud Belt ..... (1) 144
hydrocarbon reservoirs and aquifers ..... (6) 868
hydrothermal ..... (3) 394, (6) 1067
hydrothermal activity ..... (5) 833
hyperpycnal ..... (6) 895

ice ..... (3) 346
ice-contact delta ..... (6) 922
ichnofossils ..... (2) 272
ikaite ..... (1) 176
Ikka Fjord ..... (1) 176
illite ..... (1) 15
image analysis ..... (3) 501
incised valley ..... (6) 985
inclined sandy macroforms ..... (5) 692
India ..... (1) 107
inter continental shelf ..... (6) 958
interavulsion period ..... (4) 589
intertidal ..... (5) 680
intrusive activity ..... (3) 484
iron ..... (1) 61
isotopes ..... (3) 372, (3) 380, (6) 1017

Jurassic ..... (3) 459

karst ..... (3) 400
Kaveri River ..... (1) 50
K-feldspar ..... (1) 15
Kimmeridge Clay ..... (2) 286
kinematic viscosity ..... (1) 122
Knox ..... (3) 400

lacunarity ..... (4) 621
lacustrine deposits ..... (3) 423

JOURNAL OF SEDIMENTARY RESEARCH, VOL. 71, NO. 6, NOVEMBER, 2001, P. 1060–1062

Copyright © 2001, SEPM (Society for Sedimentary Geology)

1527-1404/01/071-1060/$03.00

Lake Issyk-Kul ..... (3) 430
Lake Valley Formation ..... (6) 1003
laser diffraction ..... (3) 507
laser diffraction analysis ..... (5) 858
late Holocene ..... (2) 218
late Paleozoic ..... (3) 372
late Pleistocene ..... (5) 680
limestone ..... (5) 778
limnology ..... (3) 346
loessite ..... (5) 817

magnesian calcite ..... (1) 167
magnetostratigraphy ..... (4) 526
margin ..... (4) 608
marine moraine ..... (6) 922
marine sediments ..... (5) 833
mesoclots ..... (3) 410
meteoric diagenesis ..... (3) 380
Mg ..... (5) 764
Mg mass balance ..... (3) 400
Mg-clays ..... (3) 436
mica ..... (3) 507
microbes ..... (1) 190, (5) 747
microbial activity ..... (3) 423
microbial biscuits ..... (3) 430
microbially induced sedimentary structures ..... (5) 649
micromorphology ..... (6) 1017
microsampling ..... (3) 509
mid-Norway ..... (1) 15
Miocene ..... (3) 436
Mississippian ..... (6) 1003
mixed carbonate-siliclastic ..... (6) 985
modeling ..... (3) 473, (4) 608
moganite ..... (3) 436
morphology ..... (3) 473
mud ..... (1) 167

Namibian shelf ..... (5) 800
nearshore sedimentation ..... (6) 958
neotectonics ..... (1) 50
New Mexico ..... (6) 1003
noncohesive debris flows ..... (5) 657
nonmarine ..... (4) 537
northern Ireland ..... (5) 705
northern Tibet ..... (6) 971
NW Europe ..... (6) 944

OAE II ..... (4) 628
oceanic sedimentation ..... (5) 858
oceanography ..... (4) 549
Oligocene–Miocene ..... (4) 516
oncoids ..... (1) 190, (3) 423
ooids ..... (3) 423
opal-C ..... (5) 727
opal-CT ..... (5) 727
orbital velocity ..... (5) 705
overgrowth ..... (5) 809
Owens Valley ..... (5) 657

paleoclimate ..... (5) 817
paleoecology ..... (3) 501
paleohydraulics ..... (5) 713
paleoslope ..... (4) 608
paleosol ..... (6) 985, (6) 1017
particle size ..... (1) 118, (3) 507
particle-image velocimetry ..... (3) 355
pedogenic dolomite ..... (5) 817
Pennsylvanian ..... (5) 764
permeability ..... (3) 484
Permian ..... (5) 817
petrography ..... (3) 473
petroleum reservoir ..... (3) 444
phosphatics ..... (1) 2
phreatic cement ..... (1) 82
physical mechanism ..... (1) 205
pillow volcanoes ..... (2) 318
pisoids ..... (1) 190
Pleistocene ..... (5) 800
porosity ..... (1) 2, (3) 484
primary sedimentary structures ..... (5) 649
process-based models ..... (6) 868
progradation ..... (6) 913
Proterozoic ..... (1) 107
provenance ..... (1) 37, (2) 305, (4) 516
Pyrenees ..... (2) 318
pyrite spheres ..... (1) 155
pyritization ..... (3) 335

quantitative analysis ..... (5) 713
quartz ..... (5) 727
quartz arenite ..... (1) 2, (5) 809
quartz cement ..... (1) 2
Quaternary ..... (4) 549

Rayleigh-Taylor instability ..... (1) 122
regression analysis ..... (1) 118
reservoir quality ..... (3) 459, (3) 484
Rhine–Meuse delta ..... (4) 589
rivers ..... (5) 713
Ryukyu Islands ..... (2) 295

saline lake ..... (3) 430
San Joaquin basin ..... (3) 444
sandflat ..... (5) 705
sandpile ..... (3) 355
sandstone ..... (1) 27, (1) 37, (1) 70
sandstone diagenesis ..... (1) 15, (3) 459
sea level ..... (2) 295
sea level rise ..... (4) 568
sea-level highstand ..... (4) 581
seawater ..... (3) 394, (6) 1067
secondary porosity ..... (3) 459
sediment diagenesis ..... (3) 335
sediment gravity flows ..... (6) 1003
sediment transport ..... (3) 346, (6) 958
sedimentary microstructures ..... (3) 501
sedimentation budget ..... (6) 971
sedimentology ..... (1) 37, (2) 272
sediments ..... (1) 50
self organization ..... (1) 70
sequence ..... (2) 246
sequence stratigraphy ..... (4) 526, (4) 599, (6) 913, (6) 944, (6) 985, (6) 1067
settling velocity ..... (3) 365
shape factor ..... (3) 365
shelf-slope clinothems ..... (6) 895
shoreface ..... (6) 958
shoreface deposits ..... (6) 944
shoreline ..... (2) 246
siderite ..... (3) 459
sidescan-sonar ..... (6) 958
sieve diameter ..... (3) 365
sieving ..... (3) 507
silcrete ..... (3) 436
silica sinter ..... (5) 727
silicification ..... (3) 473
siliclastic clinoform ..... (6) 913
siliclastics ..... (5) 649
sinter ..... (1) 190, (5) 747
slope accretion ..... (6) 895
slope sedimentation ..... (2) 237
slope sequences ..... (2) 237
southeastern Yellow Sea ..... (1) 144
spacing ..... (1) 70
spectral analysis ..... (5) 680
sphaderosiderite ..... (6) 1017
springs ..... (1) 176
stable isotopes ..... (1) 88, (3) 444
stacking patterns ..... (2) 255
storm ..... (2) 295
Strangford Lough ..... (5) 705
stratigraphic modeling ..... (4) 621
stratigraphy ..... (2) 255, (4) 621
strontium isotopes ..... (3) 394, (5) 800
subaerial exposure ..... (5) 778
submarine alkali volcanism ..... (2) 318
submarine channel ..... (5) 692
sulfide ..... (1) 61
supratidal facies ..... (1) 107
surface fine-grain laminae ..... (5) 717
suspended matter ..... (1) 144

Taconian ..... (2) 305
taphonomy ..... (4) 621
tectonic control ..... (4) 537
tempestite ..... (4) 621
Texas ..... (3) 372, (4) 581
thrombolite reef ..... (3) 410
tidal flat ..... (5) 705
tidal rhythmites ..... (5) 680
transformation ..... (5) 764
Triassic ..... (2) 272
tropical lake ..... (1) 167
tsunami ..... (2) 218
tufa ..... (1) 205
tufa columns ..... (1) 176
turbidites ..... (6) 895
Turpan basin ..... (1) 37

unconformities ..... (3) 380
Upper Jurassic ..... (1) 88, (1) 101, (6) 944
upwelling ..... (2) 272

vadose cement ..... (1) 82
vaterite ..... (3) 430
velocity distribution ..... (3) 355
vertical concretion ..... (1) 82
Vicksburg Formation ..... (1) 27
Vindhyan basin ..... (1) 107
volcanic sequences ..... (2) 318

waterfall effects ..... (1) 205
waves ..... (5) 705
weak layers ..... (2) 218
weathering ..... (5) 833
well conditioning ..... (6) 868
west coast of Korea ..... (5) 680

X-Ray analysis ..... (5) 790

Yellowstone ..... (5) 747
Younger Dryas ..... (6) 922

zinc ..... (1) 61
zircon ..... (2) 305, (4) 516